

GRADE 11COMPUTER SCIENCE LAB PRACTICE C PROGRAMMING

1. Write a program to print Hello World.

```
#include <stdio.h>

int main() {
    printf("Hello, World!\n");
    return 0;
}
```

2. Write a program to print your Name.

```
#include <stdio.h>

int main() {
    printf("My name is Rajesh parajuli\n");
    return 0;
}
```

3. Write a c program to difference the direct value declare and user input value.

```
#include <stdio.h>

int main() {
    // Direct declaration (values assigned directly)
    int a = 10;
    printf("the value of a is %d\n", a);

    // User input (values entered by user)
    int b;
    printf("Enter two numbers: ");
    scanf("%d ", &b);
    printf("User entered b value is %d\n", b);

    return 0;
}
```

4. Write a c program to add to numbers.

```
#include <stdio.h>

int main() {
    int num1, num2, add;
    printf("Enter two numbers: ");
    scanf("%d %d", &num1, &num2);
    add = num1 + num2;
    printf("Sum is %d", add);
    return 0;
}
```

5. Write a C program to perform all arithmetic operations (+,-,*,/,%)

```
#include <stdio.h>

int main() {
    int num1, num2;
    int addition, subtraction, multiplication, division, remainder;
    printf("Enter two numbers: ");
    scanf("%d %d", &num1, &num2);
    addition = num1 + num2;
    subtraction = num1 - num2;
    multiplication = num1 * num2;
    division = num1 / num2;
    remainder = num1 % num2;

    printf("Addition is %d\n", addition);
    printf("Subtraction is %d\n", subtraction);
    printf("Multiplication is %d\n", multiplication);
    printf("Division is %d\n", division);
    printf("Remainder is %d\n", remainder);
    return 0;
}
```

6. Write a c program to program to find the square of a number.

```
#include <stdio.h>

int main() {
    int number, square;
    printf("Enter a number: ");
    scanf("%d", &number);
    square = number * number;
    printf("Square of %d is %d\n", number, square);

    return 0;
}
```

7. Write a program to find the area of a rectangle.

```
#include <stdio.h>

int main() {
    int length, width, area;
```

```

printf("Enter length of the rectangle: ");
scanf("%d", &length);
printf("Enter width of the rectangle: ");
scanf("%d", &width);
area = length * width;
printf("Area of the rectangle = %d\n", area);

return 0;
}

```

8. Write a c program to calculate the simple interest.

```

#include <stdio.h>
int main() {
    float principal, rate, time, simpleInterest;
    printf("Enter principal amount: ");
    scanf("%f", &principal);

    printf("Enter rate of interest (in %%): ");
    scanf("%f", &rate);

    printf("Enter time (in years): ");
    scanf("%f", &time);

    simpleInterest = (principal * rate * time) / 100;

    printf("Simple Interest = %.2f\n", simpleInterest);

    return 0;
}

```

9. Write a program to find the largest of two numbers.

```

#include <stdio.h>
int main() {
    int num1, num2, largest;
    printf("Enter two numbers: ");
    scanf("%d %d", &num1, &num2);
    if(num1 > num2) {
        largest = num1;
    } else {
        largest = num2;
    }
    printf("The largest number is %d\n", largest);
    return 0;
}

```

10. Write a program to check whether a number is even or odd.

```
#include <stdio.h>
int main() {
    int num;
    printf("Enter a number: ");
    scanf("%d", &num);
    if (num % 2 == 0) {
        printf("%d is Even\n", num);
    } else {
        printf("%d is Odd\n", num);
    }
    return 0;
}
```

11. Write a C program to find factorial of a number.

```
#include <stdio.h>

int main() {
    int num, i;
    int factorial = 1;
    printf("Enter a number: ");
    scanf("%d", &num);

    for(i = 1; i <= num; i++) {
        factorial = factorial * i;
    }
    printf("Factorial is %d\n", factorial);
    return 0;
}
```

12. Write a program to check whether a number is prime.

```
#include <stdio.h>
int main() {
    int num, i;
    printf("Enter a number: ");
    scanf("%d", &num);

    for(i = 2; i < num; i++) {

        if(num % i == 0) {
            printf("%d is not a Prime number\n", num);
        }
    }
}
```

```

        return 0;
    }
}

if(num > 1)
    printf("%d is a Prime number\n", num);
else
    printf("%d is not a Prime number\n", num);
return 0;
}

```

13. Write a program to find sum of first n natural numbers.

```

#include <stdio.h>
int main() {
    int n, sum = 0, i;
    printf("Enter a number: ");
    scanf("%d", &n);
    for(i = 1; i <= n; i++) {
        sum = sum + i;    }
    printf("Sum of first natural numbers is %d\n", sum);
    return 0;
}

```

14. Write a program to swap two numbers.

```

#include <stdio.h>
int main() {
    int a, b, temp;
    printf("Enter two numbers: ");
    scanf("%d %d", &a, &b);
    printf("Before swapping: a = %d, b = %d\n", a, b);
    temp = a;
    a = b;
    b = temp;
    printf("After swapping: a = %d, b = %d\n", a, b);
    return 0;
}

```

15. Write a program to print multiplication table.

```

#include <stdio.h>
int main() {
    int num, i;
    printf("Enter a number: ");
    scanf("%d", &num);
    printf("Multiplication table of %d:\n", num);
    for(i = 1; i <= 10; i++) {
        printf("%d x %d = %d\n", num, i, num * i);
    }
    return 0;
}

```

16. Write a c program to count numbers from 1 to 10 using for, while, and do-while.

For LOOP

```

#include <stdio.h>
int main() {
    int i;
    printf("Counting using for loop:\n");
    for(i = 1; i <= 10; i++) {
        printf("%d ", i);
    }
    printf("\n");
    return 0;
}

```

While LOOP

```

#include <stdio.h>
int main() {
    int i = 1;
    printf("Counting using while loop:\n");
    while(i <= 10) {
        printf("%d ", i);
        i++;
    }
    printf("\n");
    return 0;
}

```

Do-While LOOP

```

#include <stdio.h>

```

```
int main() {
    int i = 1;
    printf("Counting using do-while loop:\n");
    do {
        printf("%d ", i);
        i++;
    } while(i <= 10);
    printf("\n");
    return 0;
}
```

17. Write a c program to use switch case.

```
#include <stdio.h>
int main() {
    int day;
    scanf("%d", &day);

    switch(day) {
        case 1: printf("Sunday\n");
        break;
        case 2: printf("Monday\n");
        break;
        default: printf("Other day\n"); break;
    }
    return 0;
}
```

18. Write a program to store and print elements of an array.

```
#include <stdio.h>
int main() {
    int arr[5];
    int i;
    printf("Enter 5 numbers:\n");
    for(i = 0; i < 5; i++) {
        scanf("%d", &arr[i]);
    }
    printf("The elements of the array are:\n");
    for(i = 0; i < 5; i++) {
        printf("%d\n ", arr[i]);
    }
}
```

```
    return 0;
}
```

19. Write a program to calculate the sum of array elements

```
#include <stdio.h>
int main() {
    int arr[] = {10, 25, 7, 89, 54};
    int total = 0;

    for(int i = 0; i < 5; i++) {
        total += arr[i];
    }
    printf("total elements sum is %d\n", total);
    return 0;
}
```

20. Write a c program to add two 2x2 matrices

```
#include <stdio.h>
int main() {
    int matrix1[2][2], matrix2[2][2], sum[2][2];
    int i, j;

    // Input elements of first matrix
    printf("Enter elements of first 2x2 matrix:\n");
    for(i = 0; i < 2; i++) {
        for(j = 0; j < 2; j++) {
            scanf("%d", &matrix1[i][j]);
        }
    }

    // Input elements of second matrix
    printf("Enter elements of second 2x2 matrix:\n");
    for(i = 0; i < 2; i++) {
        for(j = 0; j < 2; j++) {
            scanf("%d", &matrix2[i][j]);
        }
    }

    // Add the two matrices
    for(i = 0; i < 2; i++) {
```

```
    for(j = 0; j < 2; j++) {
        sum[i][j] = matrix1[i][j] + matrix2[i][j];
    }
}

// Display the sum
printf("Sum of the two matrices:\n");
for(i = 0; i < 2; i++) {
    for(j = 0; j < 2; j++) {
        printf("%d\t", sum[i][j]);
    }
    printf("\n");
}
return 0;
}
```